



## SAFETY DATA SHEET FAIRWAY WASHING UP LIQUID

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	FAIRWAY WASHING UP LIQUID
Internal identification	PLF210/25296
Container size	2x5L

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent for washing crockery and cutlery.
-----------------	---

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Fairway Foodservice PLC 11 Cartwright Court Bradley Business Park Dyson Wood Way Bradley Huddersfield HD2 1GN Telephone: 01422 319 100 Fax: 01422 319 130 Email: info@fairwayfoodservice.com
----------	---

#### 1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
---------------------	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Not Classified

#### 2.2. Label elements

##### Hazard pictograms



Signal word	Danger
Hazard statements	H318 Causes serious eye damage.

## FAIRWAY WASHING UP LIQUID

<b>Precautionary statements</b>	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.
<b>Contains</b>	SODIUM DODECYL BENZENE SULPHONATE, ALCOHOLS, C12-14, ETHOXYLATED, SULFATES
<b>Detergent labelling</b>	Contains BRONOPOL (INN)

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>SODIUM DODECYL BENZENE SULPHONATE</b>	<b>5-10%</b>
CAS number: 68411-30-3                      EC number: 270-115-0                      REACH registration number: 01-2119489428-22-XXXX	
<b>Classification</b> Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
<b>ALCOHOLS, C12-14, ETHOXYLATED, SULFATES</b>	<b>1-5%</b>
CAS number: 68891-38-3                      EC number: 500-234-8	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
<b>BRONOPOL (INN)</b>	<b>&lt;1%</b>
CAS number: 52-51-7                      EC number: 200-143-0                      REACH registration number: 01-2119980938-15-XXXX	
M factor (Acute) = 10	
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

**Inhalation**                      Unlikely route of exposure as the product does not contain volatile substances.

## FAIRWAY WASHING UP LIQUID

<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Keep affected person under observation. Get medical attention if a large quantity has been ingested. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Wash with plenty of water. No special treatment required.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin contact</b>	May cause irritation. Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
<b>Specific treatments</b>	Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	None known.
-------------------------	-------------

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid the spillage or runoff entering drains, sewers or watercourses.
<b>Special protective equipment for firefighters</b>	Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with eyes and prolonged skin contact. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.
-----------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Avoid discharge to the aquatic environment.
----------------------------------	---

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses with washing down water. Discharge of small quantities to the sewer with plenty of water may be permitted.
--------------------------------	---

### 6.4. Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8. For waste disposal, see Section 13.
------------------------------------	---

## FAIRWAY WASHING UP LIQUID

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** For professional users only. Avoid contact with eyes and prolonged skin contact. Avoid spilling.

**Advice on general occupational hygiene** Wash contaminated skin thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container. Store at room temperature. Protect from freezing and direct sunlight.

**Storage class** Unspecified storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

#### 8.2. Exposure controls

##### Protective equipment



**Appropriate engineering controls** Not applicable.

**Eye/face protection** No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

**Hand protection** It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC).

**Hygiene measures** Wash hands thoroughly after handling.

**Respiratory protection** No specific requirements are anticipated under normal conditions of use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**Appearance** Clear liquid.

**Colour** Green.

**Odour** Odourless.

**pH** pH (concentrated solution): 6.8 - 7.2 (neutral)

**Initial boiling point and range** 100°C

**Flash point** Not applicable.

**Relative density** 1.017 - 1.019 @ 20°C

## FAIRWAY WASHING UP LIQUID

<b>Solubility(ies)</b>	Soluble in water.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	200 - 400 cP @ 20°C Slightly viscous.
<b>Explosive properties</b>	Not applicable.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

### 9.2. Other information

<b>Refractive index</b>	10 - 12
<b>Volatile organic compound</b>	This product contains a maximum VOC content of <0.1 %.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	No potentially hazardous reactions known.
---	---

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
---------------------------	--

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	No known hazardous decomposition products. Does not decompose when used and stored as recommended.
---	--

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Toxicological effects</b>	Information given is based on data of the components and of similar products.
------------------------------	---

### Serious eye damage/irritation

<b>Serious eye damage/irritation</b>	Causes serious eye damage.
--------------------------------------	----------------------------

<b>Medical considerations</b>	Pre-existing eye problems.
-------------------------------	----------------------------

## SECTION 12: Ecological information

<b>Ecotoxicity</b>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
--------------------	--

### 12.1. Toxicity

#### Ecological information on ingredients.

## FAIRWAY WASHING UP LIQUID

### BRONOPOL (INN)

#### Acute aquatic toxicity

**LE(C)<sub>50</sub>** 0.01 < L(E)C<sub>50</sub> ≤ 0.1

**M factor (Acute)** 10

#### 12.2. Persistence and degradability

**Persistence and degradability** Moderately biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

#### Ecological information on ingredients.

### ALCOHOLS, C12-14, ETHOXYLATED, SULFATES

**Partition coefficient** log Pow: 0.3

#### 12.4. Mobility in soil

**Mobility** The product contains substances which are water-soluble and may spread in water systems.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**General information** Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### **SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

## FAIRWAY WASHING UP LIQUID

### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (as amended).  
Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

#### Guidance

EH40/2005 Workplace exposure limits  
Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended)  
Health and Safety Executive

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

<b>Issued by</b>	Regulatory Chemist
<b>Revision date</b>	02/06/2021
<b>Revision</b>	6
<b>Supersedes date</b>	03/03/2021
<b>SDS number</b>	21421
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

## FAIRWAY WASHING UP LIQUID

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.